

Author index to volume 216

- Arabei, S.M., S.G. Kulikov, A.V. Veret-Lemarinier and J.P. Galaup, Sol-gel hosts doped with porphyrin derivatives. Part II. Site selection spectra and vibronic analysis 216 (1997) 163
- Bach, S.B.H., see Canty, J.F. 216 (1997) 81
- Bacis, R., see Cerny, D. 216 (1997) 207
- Baddour-Hadjean, R., see Fillaux, F. 216 (1997) 281
- Bahou, M., L. Schriver-Mazzuoli, A. Schriver and P. Chaquin, Structure and selective visible photodissociation of the $O_3:Br_2$ and $O_3:BrCl$ complexes: an infrared matrix isolation and ab initio study 216 (1997) 105
- Bakó, I., J.C. Dore and D.W. Huxley, Orientational correlations in liquid carbon tetrabromide: a neutron diffraction and RMC study 216 (1997) 119
- Ball, D.W., see Canty, J.F. 216 (1997) 81
- Baumgärtel, H., see Eisenhardt, C.G. 216 (1997) 427
- Bazhenov, A.V., see Kveder, V.V. 216 (1997) 407
- Beijerinck, H.C.W., see Vredenbregt, E.J.D. 216 (1997) 273
- Beijerinck, H.C.W., see Vredenbregt, E.J.D. 216 (1997) 259
- Bell, I.M., see Torii, H. 216 (1997) 67
- Bender, S., see Franke, R. 216 (1997) 243
- Bizot, H., see Leroux, B. 216 (1997) 349
- Boilot, J.P., see Kulikov, S.G. 216 (1997) 147
- Bolognesi, P., see Yencha, A.J. 216 (1997) 227
- Boukheddaden, K. and F. Varret, Vibronic theory of electric hysteresis in "bistable" mixed-valence molecular salts 216 (1997) 373
- Brady, J.W., see Leroux, B. 216 (1997) 349
- Canty, J.F., E.G. Stone, S.B.H. Bach and D.W. Ball, Matrix isolation and theoretical studies of ONNO: Assignment of a new combination band and density functional calculations 216 (1997) 81
- Cassidei, L., see Petrella, G. 216 (1997) 391
- Cerny, D., R. Bacis, S. Churassy, D. Inard, M. Lamrini and M. Nota, Analysis of the $D'2_g-A'2_u$ transition in the molecular iodine by laser-induced-fluorescence Fourier-transform spectrometry 216 (1997) 207
- Chaput, F., see Kulikov, S.G. 216 (1997) 147
- Chaquin, P., see Bahou, M. 216 (1997) 105
- Chikhaoui, A. and E.V. Kustova, Effect of strong excitation of the CO_2 asymmetric mode on transport properties 216 (1997) 297
- Chong, D.P., see Hu, C.-H. 216 (1997) 99
- Chong, D.P., see Pulfer, M. 216 (1997) 91

- Churassy, S., see Cerny, D. 216 (1997) 207
 Ciriaco, F., see Petrella, G. 216 (1997) 391
 Clark, R.J.H., see Torii, H. 216 (1997) 67
 Colomban, P., see Fillaux, F. 216 (1997) 281
 Cooper, D.R., see Yench, A.J. 216 (1997) 227
 Coriani, S., A. Rizzo, K. Ruud and T. Helgaker, Cotton-Mouton effect and shielding polarizabilities of ethylene: an MCSCF study 216 (1997) 53
 Cormack, A.J., see Yench, A.J. 216 (1997) 227
 Czerwiński, M. and J. Dąbrowski, Spin-spin interactions in the reduced $[\text{Fe}_6\text{S}_6]^{5+}$ cluster (Chem. Phys. 213 (1996) 45-62) 216 (1997) 295
 Dąbrowski, J., see Czerwiński, M. 216 (1997) 295
 Dähne, L., see Werncke, W. 216 (1997) 337
 Dapprich, J., see Widengren, J. 216 (1997) 417
 Da Silva, A.B.F., see Jorge, F.E. 216 (1997) 317
 De Castro, E.V.R., see Jorge, F.E. 216 (1997) 317
 Dobrin, S., P. Kaszynski, S. Ikeda and J. Waluk, Photophysics of *trans*-stilbene analogues: indolo[3,2-*b*]indole and its heterosubstituted sulfur and selenium derivatives 216 (1997) 179
 Dore, J.C., see Bakó, I. 216 (1997) 119
 Eisenhardt, C.G., S. Ring, H.-W. Jochims and H. Baumgärtel, Clusters containing BF_3 , $\text{O}(\text{CH}_3)_2$ and aromatic compounds: An electron impact and photoionization study 216 (1997) 427
 Eremenko, V.V., V.A. Karachevtsev and V.V. Slavin, Phonon thermoactivated exciton tunneling in crystals of weak charge transfer complexes N-TCPA doped with Nd8-TCPA 216 (1997) 1
 Fainberg, B.D. and B. Zolotov, Time resolved spectroscopy of nonlinear solvation with pulses longer than electronic dephasing 216 (1997) 7
 Fernández Gómez, M., see Kearley, G.J. 216 (1997) 323
 Fillaux, F., N. Leygue, R. Baddour-Hadjean, S. Parker, P. Colomban, A. Gruger, A. Régis and L.T. Yu, Inelastic neutron scattering studies of polyanilines and partially deuterated analogues 216 (1997) 281
 Fominych, N.G., see Franke, R. 216 (1997) 243
 Forney, D., see Freivogel, P. 216 (1997) 401
 Franke, R., S. Bender, J. Hormes, A.A. Pavlychev and N.G. Fominych, A quasi-atomic treatment of chemical and structural effects on K-shell excitations in hexagonal and cubic BN crystals 216 (1997) 243
 Freivogel, P., M. Grutter, D. Forney and J.P. Maier, Infrared bands of mass-selected carbon chains C_n ($n = 8-12$) and C_n^- ($n = 5-10, 12$) in neon matrices 216 (1997) 401
 Galaup, J.P., see Arabei, S.M. 216 (1997) 163
 Galaup, J.P., see Kulikov, S.G. 216 (1997) 147
 Garay Salazar, M., J.M. Orea and A. González Ureña, On the determination of $D_0^0(\text{CaBr})$ from translational energy threshold measurements 216 (1997) 365
 González Ureña, A., see Garay Salazar, M. 216 (1997) 365
 Gorbunov, A.V., see Kveder, V.V. 216 (1997) 407
 Grah, W., see Werncke, W. 216 (1997) 337
 Gruger, A., see Fillaux, F. 216 (1997) 281
 Grutter, M., see Freivogel, P. 216 (1997) 401

- Helgaker, T., see Coriani, S. 216 (1997) 53
- Hormes, J., see Franke, R. 216 (1997) 243
- Hu, C.-H. and D.P. Chong, Accurate density-functional calculation of core-electron binding energies with a scaled polarized triple-zeta basis set. (III). Extension to open-shell molecules 216 (1997) 99
- Hu, C.-H., see Pulfer, M. 216 (1997) 91
- Huxley, D.W., see Bakó, I. 216 (1997) 119
- Ikeda, S., see Dobrin, S. 216 (1997) 179
- Inard, D., see Cerny, D. 216 (1997) 207
- Jochims, H.-W., see Eisenhardt, C.G. 216 (1997) 427
- Johannes, H.-H., see Werncke, W. 216 (1997) 337
- Johr, T., see Werncke, W. 216 (1997) 337
- Jorge, F.E., E.V.R. de Castro and A.B.F. da Silva, Accurate universal Gaussian basis set for hydrogen through lanthanum generated with the generator coordinate Hartree-Fock method 216 (1997) 317
- Karachevtsev, V.A., see Eremenko, V.V. 216 (1997) 1
- Kaszynski, P., see Dobrin, S. 216 (1997) 179
- Kearley, G.J., J. Tomkinson, A. Navarro, J.J. López González and M. Fernández Gómez, Symmetrised quantum-mechanical force-fields and INS spectra: s-triazine, trichloro-s-triazine and pyrazine 216 (1997) 323
- Khasanov, S.S., see Kveder, V.V. 216 (1997) 407
- King, G.C., see Yench, A.J. 216 (1997) 227
- Konarev, D.V., see Kveder, V.V. 216 (1997) 407
- Kulikov, S.G., A.V. Veret-Lemarinier, J.P. Galaup, F. Chaput and J.P. Boilot, Sol-gel hosts doped with porphyrin derivatives. Part I. Spectroscopy, hole-burning and spectral diffusion 216 (1997) 147
- Kulikov, S.G., see Arabei, S.M. 216 (1997) 163
- Kustova, E.V., see Chikhaoui, A. 216 (1997) 297
- Kveder, V.V., E.A. Steinman, B.Zh. Narymbetov, S.S. Khasanov, L.P. Rozenberg, R.P. Shibaeva, A.V. Bazhenov, A.V. Gorbunov, M.Yu. Maksimuk, D.V. Konarev, R.N. Lyubovskaya and Yu.A. Ossipyan, Crystal structure and photoluminescence of single crystals of fullerene-9,9'-trans-bis (telluraxanthenyl) molecular complex: $C_{60}H_{18}Te_2 \cdot C_{60} \cdot CS_2$ 216 (1997) 407
- Lamrini, M., see Cerny, D. 216 (1997) 207
- Latajka, Z. and S. Scheiner, Structure, energetics and vibrational spectra of dimers, trimers, and tetramers of HX (X = Cl, Br, I) 216 (1997) 37
- Lau, A., see Werncke, W. 216 (1997) 337
- Leroux, B., H. Bizot, J.W. Brady and V. Tran, Water structuring around complex solutes: theoretical modeling of α -D-glucopyranose 216 (1997) 349
- Leygue, N., see Fillaux, F. 216 (1997) 281
- López González, J.J., see Kearley, G.J. 216 (1997) 323
- Lyubovskaya, R.N., see Kveder, V.V. 216 (1997) 407
- Maier, J.P., see Freivogel, P. 216 (1997) 401
- Maksimuk, M.Yu., see Kveder, V.V. 216 (1997) 407

- Narymbetov, B.Zh., see Kveder, V.V. 216 (1997) 407
Navarro, A., see Kearley, G.J. 216 (1997) 323
Nota, M., see Cerny, D. 216 (1997) 207
- Orea, J.M., see Garay Salazar, M. 216 (1997) 365
Ossipyan, Yu.A., see Kveder, V.V. 216 (1997) 407
- Parker, S., see Fillaux, F. 216 (1997) 281
Pavlychev, A.A., see Franke, R. 216 (1997) 243
Petrella, G., L. Cassidei and F. Ciriaco, Disordered surfaces: a smoothed He-target scattering potential for metal atoms adsorbed on metal surfaces 216 (1997) 391
Pfeiffer, M., see Werncke, W. 216 (1997) 337
Ponterini, G., Ion pairing of bisdimethylamino pentamethinecyanine perchlorate and its consequences on the cis-trans photoisomerization dynamics 216 (1997) 193
Pulfer, M., C.-H. Hu and D.P. Chong, Accurate density-functional calculation of core-electron binding energies with a scaled polarized triple-zeta basis set. (II). Confirmation with a total of seventy-six cases 216 (1997) 91
- Régis, A., see Fillaux, F. 216 (1997) 281
Rigler, R., see Widengren, J. 216 (1997) 417
Ring, S., see Eisenhardt, C.G. 216 (1997) 427
Rizzo, A., see Coriani, S. 216 (1997) 53
Rooyackers, W.J.M., see Vredendregt, E.J.D. 216 (1997) 273
Rooyackers, W.J.M., see Vredendregt, E.J.D. 216 (1997) 259
Rozenberg, L.P., see Kveder, V.V. 216 (1997) 407
Ruud, K., see Coriani, S. 216 (1997) 53
- Scheiner, S., see Latajka, Z. 216 (1997) 37
Schrivier, A., see Bahou, M. 216 (1997) 105
Schrivier-Mazzuoli, L., see Bahou, M. 216 (1997) 105
Shibaeva, R.P., see Kveder, V.V. 216 (1997) 407
Slavin, V.V., see Eremenko, V.V. 216 (1997) 1
Steinman, E.A., see Kveder, V.V. 216 (1997) 407
Stone, E.G., see Canty, J.F. 216 (1997) 81
- Tasumi, M., see Torii, H. 216 (1997) 67
Thompson, D.B., see Yench, A.J. 216 (1997) 227
Tolkatchev, V.A., see Vyazovkin, V.L. 216 (1997) 135
Tomkinson, J., see Kearley, G.J. 216 (1997) 323
Torii, H., M. Tasumi, I.M. Bell and R.J.H. Clark, Vibrational analyses of the tetrathiosquarate ion based on ab initio molecular orbital and density functional calculations: Effect of the Jahn-Teller distortion in the excited electronic state on Raman intensities 216 (1997) 67
Tran, V., see Leroux, B. 216 (1997) 349
- Van de Hurk, P.J., see Vredendregt, E.J.D. 216 (1997) 273
Van de Hurk, P.J., see Vredendregt, E.J.D. 216 (1997) 259
Van Gerwen, R.J.F., see Vredendregt, E.J.D. 216 (1997) 259
Varret, F., see Boukheddaden, K. 216 (1997) 373
Veret-Lemarinier, A.V., see Arabei, S.M. 216 (1997) 163

- Veret-Lemarinier, A.V., see Kulikov, S.G. 216 (1997) 147
- Vredenbregt, E.J.D., W.J.M. Rooyakkers, M.J.M. Vugts, P.J. van de Hurk and H.C.W. Beijerinck, $\text{Ar}^*(^3\text{P}_2)/\text{Kr}^*(^3\text{P}_{0,2}) + \text{N}_2(\text{X})$ excitation transfer collisions: final state rotational alignment 216 (1997) 273
- Vredenbregt, E.J.D., W.J.M. Rooyakkers, R.J.F. van Gerwen, P.J. van de Hurk and H.C.W. Beijerinck, Fine-structure dependence of the $\text{Ar}^*(^3\text{P}_{0,2}) + \text{N}_2(\text{X})$ excitation transfer process 216 (1997) 259
- Vugts, M.J.M., see Vredenbregt, E.J.D. 216 (1997) 273
- Vyazovkin, V.L. and V.A. Tolkathev, Methyl radicals migration in glassy ethanol-1,2- d_5 at 90 K as studied by hydrogen atom abstraction from the additives 216 (1997) 135
- Waluk, J., see Dobrin, S. 216 (1997) 179
- Werncke, W., M. Pfeiffer, T. Johr, A. Lau, W. Grahn, H.-H. Johannes and L. Dähne, Increase and saturation of the third order hyperpolarizabilities in homologous series of symmetric cyanines 216 (1997) 337
- Widengren, J., J. Dapprich and R. Rigler, Fast interactions between Rh6G and dGTP in water studied by fluorescence correlation spectroscopy 216 (1997) 417
- Yencha, A.J., D.B. Thompson, A.J. Cormack, D.R. Cooper, M. Zubek, P. Bolognesi and G.C. King, Threshold photoelectron spectroscopy of SF_6 216 (1997) 227
- Yu, L.T., see Fillaux, F. 216 (1997) 281
- Zolotov, B., see Fainberg, B.D. 216 (1997) 7
- Zubek, M., see Yencha, A.J. 216 (1997) 227



Subject index to volume 216

Methods

Theoretical

Transport quantum mechanics

- Phonon thermoactivated exciton tunneling in crystals of weak charge transfer complexes
N-TCPA doped with Nd8-TCPA, V.V. Eremenko, V.A. Karachevtsev and V.V. Slavin 216 (1997) 1

Non-equilibrium thermodynamic and hydrodynamic theories

- Time resolved spectroscopy of nonlinear solvation with pulses longer than electronic
dephasing, B.D. Fainberg and B. Zolotov 216 (1997) 7
- Effect of strong excitation of the CO₂ asymmetric mode on transport properties, A.
Chikhaoui and E.V. Kustova 216 (1997) 297

Ab initio schemes for stationary properties

- Cotton–Mouton effect and shielding polarizabilities of ethylene: an MCSCF study, S.
Coriani, A. Rizzo, K. Ruud and T. Helgaker 216 (1997) 53
- Matrix isolation and theoretical studies of ONNO: Assignment of a new combination band
and density functional calculations, J.F. Canty, E.G. Stone, S.B.H. Bach and D.W. Ball 216 (1997) 81
- Structure, energetics and vibrational spectra of dimers, trimers, and tetramers of HX
(X = Cl, Br, I), Z. Latajka and S. Scheiner 216 (1997) 37
- Vibrational analyses of the tetrathiosquarate ion based on ab initio molecular orbital and
density functional calculations: Effect of the Jahn–Teller distortion in the excited
electronic state on Raman intensities, H. Torii, M. Tasumi, I.M. Bell and R.J.H. Clark 216 (1997) 67
- Accurate universal Gaussian basis set for hydrogen through lanthanum generated with the
generator coordinate Hartree–Fock method, F.E. Jorge, E.V.R. de Castro and A.B.F.
da Silva 216 (1997) 317

Computational and simulation methods

- Accurate density-functional calculation of core-electron binding energies with a scaled
polarized triple-zeta basis set. (II). Confirmation with a total of seventy-six cases, M.
Pulfer, C.-H. Hu and D.P. Chong 216 (1997) 91
- Cotton–Mouton effect and shielding polarizabilities of ethylene: an MCSCF study, S.
Coriani, A. Rizzo, K. Ruud and T. Helgaker 216 (1997) 53
- Vibrational analyses of the tetrathiosquarate ion based on ab initio molecular orbital and
density functional calculations: Effect of the Jahn–Teller distortion in the excited
electronic state on Raman intensities, H. Torii, M. Tasumi, I.M. Bell and R.J.H. Clark 216 (1997) 67

- Accurate density-functional calculation of core-electron binding energies with a scaled polarized triple-zeta basis set. (III). Extension to open-shell molecules, C.-H. Hu and D.P. Chong 216 (1997) 99
- Increase and saturation of the third order hyperpolarizabilities in homologous series of symmetric cyanines, W. Werncke, M. Pfeiffer, T. Johr, A. Lau, W. Grahn, H.-H. Johannes and L. Dähne 216 (1997) 337
- Orientalional correlations in liquid carbon tetrabromide: a neutron diffraction and RMC study, I. Bakó, J.C. Dore and D.W. Huxley 216 (1997) 119
- Structure and selective visible photodissociation of the $O_3:Br_2$ and $O_3:BrCl$ complexes: an infrared matrix isolation and ab initio study, M. Bahou, L. Schriver-Mazzuoli, A. Schriver and P. Chaquin 216 (1997) 105
- Symmetrised quantum-mechanical force-fields and INS spectra: s-triazine, trichloro-s-triazine and pyrazine, G.J. Kearley, J. Tomkinson, A. Navarro, J.J. López González and M. Fernández Gómez 216 (1997) 323
- Water structuring around complex solutes: theoretical modeling of α -D-glucopyranose, B. Leroux, H. Bizot, J.W. Brady and V. Tran 216 (1997) 349

Molecular dynamics and scattering theory

- Disordered surfaces: a smoothed He-target scattering potential for metal atoms adsorbed on metal surfaces, G. Petrella, L. Cassidei and F. Ciriaco 216 (1997) 391
- On the determination of $D_0^0(CaBr)$ from translational energy threshold measurements, M. Garay Salazar, J.M. Orea and A. González Ureña 216 (1997) 365
- Vibronic theory of electric hysteresis in "bistable" mixed-valence molecular salts, K. Boukheddaden and F. Varret 216 (1997) 373

Experimental

Magnetic resonances

- Methyl radicals migration in glassy ethanol-1,2- d_5 at 90 K as studied by hydrogen atom abstraction from the additives, V.L. Vyazovkin and V.A. Tolkathev 216 (1997) 135

Infrared spectroscopy

- Matrix isolation and theoretical studies of ONNO: Assignment of a new combination band and density functional calculations, J.F. Canty, E.G. Stone, S.B.H. Bach and D.W. Ball 216 (1997) 81
- Infrared bands of mass-selected carbon chains C_n ($n = 8-12$) and C_n^- ($n = 5-10, 12$) in neon matrices, P. Freivogel, M. Grutter, D. Forney and J.P. Maier 216 (1997) 401
- Structure and selective visible photodissociation of the $O_3:Br_2$ and $O_3:BrCl$ complexes: an infrared matrix isolation and ab initio study, M. Bahou, L. Schriver-Mazzuoli, A. Schriver and P. Chaquin 216 (1997) 105
- Symmetrised quantum-mechanical force-fields and INS spectra: s-triazine, trichloro-s-triazine and pyrazine, G.J. Kearley, J. Tomkinson, A. Navarro, J.J. López González and M. Fernández Gómez 216 (1997) 323

Raman spectroscopy

- Vibrational analyses of the tetrathiosquarate ion based on ab initio molecular orbital and density functional calculations: Effect of the Jahn-Teller distortion in the excited electronic state on Raman intensities, H. Torii, M. Tasumi, I.M. Bell and R.J.H. Clark 216 (1997) 67

- Increase and saturation of the third order hyperpolarizabilities in homologous series of symmetric cyanines, W. Werncke, M. Pfeiffer, T. Johr, A. Lau, W. Grahn, H.-H. Johannes and L. Dähne 216 (1997) 337
- Symmetrised quantum-mechanical force-fields and INS spectra: s-triazine, trichloro-s-triazine and pyrazine, G.J. Kearley, J. Tomkinson, A. Navarro, J.J. López González and M. Fernández Gómez 216 (1997) 323
- Visible and UV spectroscopy*
- Infrared bands of mass-selected carbon chains C_n ($n = 8-12$) and C_n^- ($n = 5-10, 12$) in neon matrices, P. Freivogel, M. Grutter, D. Forney and J.P. Maier 216 (1997) 401
- Ion pairing of bisdimethylamino pentamethinecyanine perchlorate and its consequences on the cis-trans photoisomerization dynamics, G. Ponterini 216 (1997) 193
- Photophysics of *trans*-stilbene analogues: indolo[3,2-*b*]indole and its heterosubstituted sulfur and selenium derivatives, S. Dobrin, P. Kaszynski, S. Ikeda and J. Waluk 216 (1997) 179
- Sol-gel hosts doped with porphyrin derivatives. Part I. Spectroscopy, hole-burning and spectral diffusion, S.G. Kulikov, A.V. Veret-Lemarinier, J.P. Galaup, F. Chaput and J.P. Boilot 216 (1997) 147
- Sol-gel hosts doped with porphyrin derivatives. Part II. Site selection spectra and vibronic analysis, S.M. Arabei, S.G. Kulikov, A.V. Veret-Lemarinier and J.P. Galaup 216 (1997) 163
- Fluorescence spectroscopy*
- Analysis of the $D'2_g-A'2_u$ transition in the molecular iodine by laser-induced-fluorescence Fourier-transform spectrometry, D. Cerny, R. Bacis, S. Churassy, D. Inard, M. Lamrini and M. Nota 216 (1997) 207
- Crystal structure and photoluminescence of single crystals of fullerene-9,9'-*trans*-bis(telluraxanthenyl) molecular complex: $C_{26}H_{18}Te_2 \cdot C_{60} \cdot CS_2$, V.V. Kveder, E.A. Steinman, B.Zh. Narymbetov, S.S. Khasanov, L.P. Rozenberg, R.P. Shibaeva, A.V. Bazhenov, A.V. Gorbunov, M.Yu. Maksimuk, D.V. Konarev, R.N. Lyubovskaya and Yu.A. Ossipyan 216 (1997) 407
- Fast interactions between Rh6G and dGTP in water studied by fluorescence correlation spectroscopy, J. Widengren, J. Dapprich and R. Rigler 216 (1997) 417
- Photophysics of *trans*-stilbene analogues: indolo[3,2-*b*]indole and its heterosubstituted sulfur and selenium derivatives, S. Dobrin, P. Kaszynski, S. Ikeda and J. Waluk 216 (1997) 179
- Sol-gel hosts doped with porphyrin derivatives. Part I. Spectroscopy, hole-burning and spectral diffusion, S.G. Kulikov, A.V. Veret-Lemarinier, J.P. Galaup, F. Chaput and J.P. Boilot 216 (1997) 147
- Sol-gel hosts doped with porphyrin derivatives. Part II. Site selection spectra and vibronic analysis, S.M. Arabei, S.G. Kulikov, A.V. Veret-Lemarinier and J.P. Galaup 216 (1997) 163
- Photoelectron and Auger spectroscopy*
- Threshold photoelectron spectroscopy of SF_6 , A.J. Yench, D.B. Thompson, A.J. Cormack, D.R. Cooper, M. Zubek, P. Bolognesi and G.C. King 216 (1997) 227
- Laser methods*
- Analysis of the $D'2_g-A'2_u$ transition in the molecular iodine by laser-induced-fluorescence Fourier-transform spectrometry, D. Cerny, R. Bacis, S. Churassy, D. Inard, M. Lamrini and M. Nota 216 (1997) 207

Synchrotron spectroscopies

- A quasi-atomic treatment of chemical and structural effects on K-shell excitations in hexagonal and cubic BN crystals, R. Franke, S. Bender, J. Hormes, A.A. Pavlychev and N.G. Fominykh 216 (1997) 243
- Clusters containing BF_3 , $\text{O}(\text{CH}_3)_2$ and aromatic compounds: An electron impact and photoionization study, C.G. Eisenhardt, S. Ring, H.-W. Jochims and H. Baumgärtel 216 (1997) 427

Atomic and molecular beam techniques

- $\text{Ar}^*(^3\text{P}_2)/\text{Kr}^*(^3\text{P}_{0,2}) + \text{N}_2(\text{X})$ excitation transfer collisions: final state rotational alignment, E.J.D. Vredenbregt, W.J.M. Rooyakkers, M.J.M. Vugts, P.J. van de Hurk and H.C.W. Beijerinck 216 (1997) 273
- Fine-structure dependence of the $\text{Ar}^*(^3\text{P}_{0,2}) + \text{N}_2(\text{X})$ excitation transfer process, E.J.D. Vredenbregt, W.J.M. Rooyakkers, R.J.F. van Gerwen, P.J. van de Hurk and H.C.W. Beijerinck 216 (1997) 259

Time-resolved experiments

- Phonon thermoactivated exciton tunneling in crystals of weak charge transfer complexes N-TCPA doped with Nd8-TCPA, V.V. Eremenko, V.A. Karachevtsev and V.V. Slavin 216 (1997) 1
- Time resolved spectroscopy of nonlinear solvation with pulses longer than electronic dephasing, B.D. Fainberg and B. Zolotov 216 (1997) 7
- Ion pairing of bisdimethylamino pentamethinecyanine perchlorate and its consequences on the cis-trans photoisomerization dynamics, G. Ponterini 216 (1997) 193
- On the determination of $D_0^0(\text{CaBr})$ from translational energy threshold measurements, M. Garay Salazar, J.M. Orea and A. González Ureña 216 (1997) 365

Mass spectrometry

- Clusters containing BF_3 , $\text{O}(\text{CH}_3)_2$ and aromatic compounds: An electron impact and photoionization study, C.G. Eisenhardt, S. Ring, H.-W. Jochims and H. Baumgärtel 216 (1997) 427

X-ray, electron and neutron diffraction

- Crystal structure and photoluminescence of single crystals of fullerene-9,9'-trans-bis (telluraxanthenyl) molecular complex: $\text{C}_{26}\text{H}_{18}\text{Te}_2 \cdot \text{C}_{60} \cdot \text{CS}_2$, V.V. Kveder, E.A. Steinman, B.Zh. Narymbetov, S.S. Khasanov, L.P. Rozenberg, R.P. Shibaeva, A.V. Bazhenov, A.V. Gorbunov, M.Yu. Maksimuk, D.V. Konarev, R.N. Lyubovskaya and Yu.A. Ossipyan 216 (1997) 407
- Oriental correlations in liquid carbon tetrabromide: a neutron diffraction and RMC study, I. Bakó, J.C. Dore and D.W. Huxley 216 (1997) 119

Neutron scattering

- Inelastic neutron scattering studies of polyanilines and partially deuterated analogues, F. Fillaux, N. Leygue, R. Baddour-Hadjean, S. Parker, P. Colomban, A. Gruger, A. Régis and L.T. Yu 216 (1997) 281
- Symmetrised quantum-mechanical force-fields and INS spectra: s-triazine, trichloro-s-triazine and pyrazine, G.J. Kearley, J. Tomkinson, A. Navarro, J.J. López González and M. Fernández Gómez 216 (1997) 323

Objects

Bulk systems

Gases

- Cotton-Mouton effect and shielding polarizabilities of ethylene: an MCSCF study, S. Coriani, A. Rizzo, K. Ruud and T. Helgaker 216 (1997) 53
- Analysis of the $D'2_g-A'2_u$ transition in the molecular iodine by laser-induced-fluorescence Fourier-transform spectrometry, D. Cerny, R. Bacis, S. Churassy, D. Inard, M. Lamrini and M. Nota 216 (1997) 207
- Effect of strong excitation of the CO_2 asymmetric mode on transport properties, A. Chikhaoui and E.V. Kustova 216 (1997) 297

Liquids neat

- Oriental correlations in liquid carbon tetrabromide: a neutron diffraction and RMC study, I. Bakó, J.C. Dore and D.W. Huxley 216 (1997) 119

Liquid mixtures and solutions

- Time resolved spectroscopy of nonlinear solvation with pulses longer than electronic dephasing, B.D. Fainberg and B. Zolotov 216 (1997) 7
- Fast interactions between Rh6G and dGTP in water studied by fluorescence correlation spectroscopy, J. Widengren, J. Dapprich and R. Rigler 216 (1997) 417
- Increase and saturation of the third order hyperpolarizabilities in homologous series of symmetric cyanines, W. Werncke, M. Pfeiffer, T. Johr, A. Lau, W. Grahn, H.-H. Johannes and L. Dähne 216 (1997) 337
- Ion pairing of bisdimethylamino pentamethinecyanine perchlorate and its consequences on the cis-trans photoisomerization dynamics, G. Ponterini 216 (1997) 193
- Water structuring around complex solutes: theoretical modeling of α -D-glucopyranose, B. Leroux, H. Bizot, J.W. Brady and V. Tran 216 (1997) 349

Crystals

- A quasi-atomic treatment of chemical and structural effects on K-shell excitations in hexagonal and cubic BN crystals, R. Franke, S. Bender, J. Hormes, A.A. Pavlychev and N.G. Fominykh 216 (1997) 243
- Crystal structure and photoluminescence of single crystals of fullerene-9,9'-trans-bis (telluraxanthenyl) molecular complex: $C_{26}H_{18}Te_2 \cdot C_{60} \cdot CS_2$, V.V. Kveder, E.A. Steinman, B.Zh. Narymbetov, S.S. Khasanov, L.P. Rozenberg, R.P. Shibaeva, A.V. Bazhenov, A.V. Gorbunov, M.Yu. Maksimuk, D.V. Konarev, R.N. Lyubovskaya and Yu.A. Ossipyan 216 (1997) 407

-mixed

- Phonon thermoactivated exciton tunneling in crystals of weak charge transfer complexes N-TCPA doped with Nd8-TCPA, V.V. Eremenko, V.A. Karachevtsev and V.V. Slavin 216 (1997) 1
- Structure and selective visible photodissociation of the $O_3:Br_2$ and $O_3:BrCl$ complexes: an infrared matrix isolation and ab initio study, M. Bahou, L. Schriver-Mazzuoli, A. Schriver and P. Chaquin 216 (1997) 105

Glasses

- Methyl radicals migration in glassy ethanol-1,2- d_5 at 90 K as studied by hydrogen atom abstraction from the additives, V.L. Vyazovkin and V.A. Tolkathev 216 (1997) 135
- Sol-gel hosts doped with porphyrin derivatives. Part I. Spectroscopy, hole-burning and spectral diffusion, S.G. Kulikov, A.V. Veret-Lemarinier, J.P. Galaup, F. Chaput and J.P. Boilot 216 (1997) 147
- Sol-gel hosts doped with porphyrin derivatives. Part II. Site selection spectra and vibronic analysis, S.M. Arabei, S.G. Kulikov, A.V. Veret-Lemarinier and J.P. Galaup 216 (1997) 163

Polymers

- Inelastic neutron scattering studies of polyanilines and partially deuterated analogues, F. Fillaux, N. Leygue, R. Baddour-Hadjean, S. Parker, P. Colombar, A. Gruger, A. Régis and L.T. Yu 216 (1997) 281

Metals and alloys

- Vibronic theory of electric hysteresis in "bistable" mixed-valence molecular salts, K. Boukheddaden and F. Varret 216 (1997) 373

Surfaces

- Disordered surfaces: a smoothed He-target scattering potential for metal atoms adsorbed on metal surfaces, G. Petrella, L. Cassidei and F. Ciriaco 216 (1997) 391

Biological systems

- Water structuring around complex solutes: theoretical modeling of α -D-glucopyranose, B. Leroux, H. Bizot, J.W. Brady and V. Tran 216 (1997) 349

*Microscopic systems**Atoms*

- Accurate universal Gaussian basis set for hydrogen through lanthanum generated with the generator coordinate Hartree-Fock method, F.E. Jorge, E.V.R. de Castro and A.B.F. da Silva 216 (1997) 317
- $\text{Ar}^*(^3\text{P}_2)/\text{Kr}^*(^3\text{P}_{0,2}) + \text{N}_2(\text{X})$ excitation transfer collisions: final state rotational alignment, E.J.D. Vredendregt, W.J.M. Rooyackers, M.J.M. Vugts, P.J. van de Hurk and H.C.W. Beijerinck 216 (1997) 273
- Fine-structure dependence of the $\text{Ar}^*(^3\text{P}_{0,2}) + \text{N}_2(\text{X})$ excitation transfer process, E.J.D. Vredendregt, W.J.M. Rooyackers, R.J.F. van Gerwen, P.J. van de Hurk and H.C.W. Beijerinck 216 (1997) 259

Molecules (neutral and ionic)

- Effect of strong excitation of the CO_2 asymmetric mode on transport properties, A. Chikhaoui and E.V. Kustova 216 (1997) 297
- On the determination of $D_0^0(\text{CaBr})$ from translational energy threshold measurements, M. Garay Salazar, J.M. Orea and A. González Ureña 216 (1997) 365

-diatomic

- Accurate density-functional calculation of core-electron binding energies with a scaled polarized triple-zeta basis set. (II). Confirmation with a total of seventy-six cases, M. Pulfer, C.-H. Hu and D.P. Chong 216 (1997) 91

- Accurate density-functional calculation of core-electron binding energies with a scaled polarized triple-zeta basis set. (III). Extension to open-shell molecules, C.-H. Hu and D.P. Chong 216 (1997) 99
- Analysis of the $D'2_g-A'2_u$ transition in the molecular iodine by laser-induced-fluorescence Fourier-transform spectrometry, D. Cerny, R. Bacis, S. Churassy, D. Inard, M. Lamrini and M. Nota 216 (1997) 207
- $Ar^*(^3P_2)/Kr^*(^3P_{0,2}) + N_2(X)$ excitation transfer collisions: final state rotational alignment, E.J.D. Vredenbregt, W.J.M. Rooyakkers, M.J.M. Vugts, P.J. van de Hurk and H.C.W. Beijerinck 216 (1997) 273
- Fine-structure dependence of the $Ar^*(^3P_{0,2}) + N_2(X)$ excitation transfer process, E.J.D. Vredenbregt, W.J.M. Rooyakkers, R.J.F. van Gerwen, P.J. van de Hurk and H.C.W. Beijerinck 216 (1997) 259
- small polyatomics*
- Cotton-Mouton effect and shielding polarizabilities of ethylene: an MCSCF study, S. Coriani, A. Rizzo, K. Ruud and T. Helgaker 216 (1997) 53
- Accurate density-functional calculation of core-electron binding energies with a scaled polarized triple-zeta basis set. (III). Extension to open-shell molecules, C.-H. Hu and D.P. Chong 216 (1997) 99
- Infrared bands of mass-selected carbon chains C_n ($n = 8-12$) and C_n^- ($n = 5-10, 12$) in neon matrices, P. Freivogel, M. Grutter, D. Forney and J.P. Maier 216 (1997) 401
- Threshold photoelectron spectroscopy of SF_6 , A.J. Yencha, D.B. Thompson, A.J. Cormack, D.R. Cooper, M. Zubek, P. Bolognesi and G.C. King 216 (1997) 227
- aromatics*
- Time resolved spectroscopy of nonlinear solvation with pulses longer than electronic dephasing, B.D. Fainberg and B. Zolotov 216 (1997) 7
- Vibrational analyses of the tetrathiosquarate ion based on ab initio molecular orbital and density functional calculations: Effect of the Jahn-Teller distortion in the excited electronic state on Raman intensities, H. Torii, M. Tasumi, I.M. Bell and R.J.H. Clark 216 (1997) 67
- Fast interactions between Rh6G and dGTP in water studied by fluorescence correlation spectroscopy, J. Widengren, J. Dapprich and R. Rigler 216 (1997) 417
- Photophysics of *trans*-stilbene analogues: indolo[3,2-*b*]indole and its heterosubstituted sulfur and selenium derivatives, S. Dobrin, P. Kaszynski, S. Ikeda and J. Waluk 216 (1997) 179
- Symmetrised quantum-mechanical force-fields and INS spectra: s-triazine, trichloro-s-triazine and pyrazine, G.J. Kearley, J. Tomkinson, A. Navarro, J.J. López González and M. Fernández Gómez 216 (1997) 323
- other large*
- Increase and saturation of the third order hyperpolarizabilities in homologous series of symmetric cyanines, W. Werncke, M. Pfeiffer, T. Johr, A. Lau, W. Grah, H.-H. Johannes and L. Dähne 216 (1997) 337
- Molecular aggregates*
- Matrix isolation and theoretical studies of ONNO: Assignment of a new combination band and density functional calculations, J.F. Canty, E.G. Stone, S.B.H. Bach and D.W. Ball 216 (1997) 81
- dimers*
- Matrix isolation and theoretical studies of ONNO: Assignment of a new combination band and density functional calculations, J.F. Canty, E.G. Stone, S.B.H. Bach and D.W. Ball 216 (1997) 81

-clusters

- Clusters containing BF_3 , $\text{O}(\text{CH}_3)_2$ and aromatic compounds: An electron impact and photoionization study, C.G. Eisenhardt, S. Ring, H.-W. Jochims and H. Baumgärtel 216 (1997) 427

-complexes

- Ion pairing of bisdimethylamino pentamethinecyanine perchlorate and its consequences on the cis-trans photoisomerization dynamics, G. Ponterini 216 (1997) 193
- Structure and selective visible photodissociation of the $\text{O}_3:\text{Br}_2$ and $\text{O}_3:\text{BrCl}$ complexes: an infrared matrix isolation and ab initio study, M. Bahou, L. Schriver-Mazzuoli, A. Schriver and P. Chaquin 216 (1997) 105

Free radicals (including hydronium and muonium)

- Methyl radicals migration in glassy ethanol-1,2- d_5 at 90 K as studied by hydrogen atom abstraction from the additives, V.L. Vyazovkin and V.A. Tolkathev 216 (1997) 135

Ions and charge carriers

- Inelastic neutron scattering studies of polyanilines and partially deuterated analogues, F. Fillaux, N. Leygue, R. Baddour-Hadjean, S. Parker, P. Colombari, A. Gruger, A. Régis and L.T. Yu 216 (1997) 281

Phenomena*Molecular structure*

- Matrix isolation and theoretical studies of ONNO: Assignment of a new combination band and density functional calculations, J.F. Canty, E.G. Stone, S.B.H. Bach and D.W. Ball 216 (1997) 81

Thermodynamic and transport properties

- Effect of strong excitation of the CO_2 asymmetric mode on transport properties, A. Chikhaoui and E.V. Kustova 216 (1997) 297

Vibrations and rotations of molecules

- Matrix isolation and theoretical studies of ONNO: Assignment of a new combination band and density functional calculations, J.F. Canty, E.G. Stone, S.B.H. Bach and D.W. Ball 216 (1997) 81
- $\text{Ar}^*(^3\text{P}_2)/\text{Kr}^*(^3\text{P}_{0,2}) + \text{N}_2(\text{X})$ excitation transfer collisions: final state rotational alignment, E.J.D. Vredendregt, W.J.M. Rooyackers, M.J.M. Vugts, P.J. van de Hurk and H.C.W. Beijerinck 216 (1997) 273
- Effect of strong excitation of the CO_2 asymmetric mode on transport properties, A. Chikhaoui and E.V. Kustova 216 (1997) 297
- Fine-structure dependence of the $\text{Ar}^*(^3\text{P}_{0,2}) + \text{N}_2(\text{X})$ excitation transfer process, E.J.D. Vredendregt, W.J.M. Rooyackers, R.J.F. van Gerwen, P.J. van de Hurk and H.C.W. Beijerinck 216 (1997) 259

Structure of solids and liquids

- Orientational correlations in liquid carbon tetrabromide: a neutron diffraction and RMC study, I. Bakó, J.C. Dore and D.W. Huxley 216 (1997) 119

Vibrations and rotations of molecules

- Sol-gel hosts doped with porphyrin derivatives. Part II. Site selection spectra and vibronic analysis, S.M. Arabei, S.G. Kulikov, A.V. Veret-Lemarinier and J.P. Galaup 216 (1997) 163
- Vibronic theory of electric hysteresis in "bistable" mixed-valence molecular salts, K. Boukheddaden and F. Varret 216 (1997) 373

Structure of solids and liquids

- Water structuring around complex solutes: theoretical modeling of α -D-glucopyranose, B. Leroux, H. Bizot, J.W. Brady and V. Tran 216 (1997) 349

Electronic structure and states

- Accurate density-functional calculation of core-electron binding energies with a scaled polarized triple-zeta basis set. (II). Confirmation with a total of seventy-six cases, M. Pulfer, C.-H. Hu and D.P. Chong 216 (1997) 91
- Vibrational analyses of the tetrathiosquarate ion based on ab initio molecular orbital and density functional calculations: Effect of the Jahn-Teller distortion in the excited electronic state on Raman intensities, H. Torii, M. Tasumi, I.M. Bell and R.J.H. Clark 216 (1997) 67
- A quasi-atomic treatment of chemical and structural effects on K-shell excitations in hexagonal and cubic BN crystals, R. Franke, S. Bender, J. Hormes, A.A. Pavlychev and N.G. Fominykh 216 (1997) 243
- Accurate density-functional calculation of core-electron binding energies with a scaled polarized triple-zeta basis set. (III). Extension to open-shell molecules, C.-H. Hu and D.P. Chong 216 (1997) 99
- Accurate universal Gaussian basis set for hydrogen through lanthanum generated with the generator coordinate Hartree-Fock method, F.E. Jorge, E.V.R. de Castro and A.B.F. da Silva 216 (1997) 317
- Analysis of the $D'2_g-A'2_u$ transition in the molecular iodine by laser-induced-fluorescence Fourier-transform spectrometry, D. Cerny, R. Bacis, S. Churassy, D. Inard, M. Lamrini and M. Nota 216 (1997) 207
- Crystal structure and photoluminescence of single crystals of fullerene-9,9'-trans-bis (telluraxanthenyl) molecular complex: $C_{26}H_{18}Te_2 \cdot C_{60} \cdot CS_2$, V.V. Kveder, E.A. Steinman, B.Zh. Narymbetov, S.S. Khasanov, L.P. Rozenberg, R.P. Shibaeva, A.V. Bazhenov, A.V. Gorbunov, M.Yu. Maksimuk, D.V. Konarev, R.N. Lyubovskaya and Yu.A. Ossipyan 216 (1997) 407

Electric and magnetic properties

- Cotton-Mouton effect and shielding polarizabilities of ethylene: an MCSCF study, S. Coriani, A. Rizzo, K. Ruud and T. Helgaker 216 (1997) 53

Molecular interactions

- Ion pairing of bisdimethylamino pentamethinecyanine perchlorate and its consequences on the cis-trans photoisomerization dynamics, G. Ponterini 216 (1997) 193
- Sol-gel hosts doped with porphyrin derivatives. Part I. Spectroscopy, hole-burning and spectral diffusion, S.G. Kulikov, A.V. Veret-Lemarinier, J.P. Galaup, F. Chaput and J.P. Boilot 216 (1997) 147
- Water structuring around complex solutes: theoretical modeling of α -D-glucopyranose, B. Leroux, H. Bizot, J.W. Brady and V. Tran 216 (1997) 349

Spectral bandshapes and intensities

- A quasi-atomic treatment of chemical and structural effects on K-shell excitations in hexagonal and cubic BN crystals, R. Franke, S. Bender, J. Hormes, A.A. Pavlychev and N.G. Fominych 216 (1997) 243

Coupling of electronic and nuclear motion

- Inelastic neutron scattering studies of polyanilines and partially deuterated analogues, F. Fillaux, N. Leygue, R. Baddour-Hadjean, S. Parker, P. Colombar, A. Gruger, A. Régis and L.T. Yu 216 (1997) 281
- Sol-gel hosts doped with porphyrin derivatives. Part I. Spectroscopy, hole-burning and spectral diffusion, S.G. Kulikov, A.V. Veret-Lemarinier, J.P. Galaup, F. Chaput and J.P. Boilot 216 (1997) 147

Energy transfer processes

- Phonon thermoactivated exciton tunneling in crystals of weak charge transfer complexes N-TCPA doped with Nd8-TCPA, V.V. Eremenko, V.A. Karachevtsev and V.V. Slavin 216 (1997) 1

Luminescence spectra, yields and lifetimes

- Phonon thermoactivated exciton tunneling in crystals of weak charge transfer complexes N-TCPA doped with Nd8-TCPA, V.V. Eremenko, V.A. Karachevtsev and V.V. Slavin 216 (1997) 1
- Sol-gel hosts doped with porphyrin derivatives. Part II. Site selection spectra and vibronic analysis, S.M. Arabei, S.G. Kulikov, A.V. Veret-Lemarinier and J.P. Galaup 216 (1997) 163

Non-linear responses (including optical)

- Time resolved spectroscopy of nonlinear solvation with pulses longer than electronic dephasing, B.D. Fainberg and B. Zolotov 216 (1997) 7
- Increase and saturation of the third order hyperpolarizabilities in homologous series of symmetric cyanines, W. Werncke, M. Pfeiffer, T. Johr, A. Lau, W. Grahn, H.-H. Johannes and L. Dähne 216 (1997) 337

Reactions (including dissociation)

- Infrared bands of mass-selected carbon chains C_n ($n = 8-12$) and C_n^- ($n = 5-10, 12$) in neon matrices, P. Freivogel, M. Grutter, D. Forney and J.P. Maier 216 (1997) 401
- On the determination of $D_0^0(\text{CaBr})$ from translational energy threshold measurements, M. Garay Salazar, J.M. Orea and A. González Ureña 216 (1997) 365

-gas phase

- $\text{Ar}^*(^3P_2)/\text{Kr}^*(^3P_{0,2}) + \text{N}_2(\text{X})$ excitation transfer collisions: final state rotational alignment, E.J.D. Vredendregt, W.J.M. Rooyackers, M.J.M. Vugts, P.J. van de Hurk and H.C.W. Beijerinck 216 (1997) 273
- Fine-structure dependence of the $\text{Ar}^*(^3P_{0,2}) + \text{N}_2(\text{X})$ excitation transfer process, E.J.D. Vredendregt, W.J.M. Rooyackers, R.J.F. van Gerwen, P.J. van de Hurk and H.C.W. Beijerinck 216 (1997) 259

-condensed phase

- Methyl radicals migration in glassy ethanol-1,2- d_5 at 90 K as studied by hydrogen atom abstraction from the additives, V.L. Vyazovkin and V.A. Tolkathev 216 (1997) 135

-photochemical

- Structure and selective visible photodissociation of the $O_3:Br_2$ and $O_3:BrCl$ complexes: an infrared matrix isolation and ab initio study, M. Bahou, L. Schriver-Mazzuoli, A. Schriver and P. Chaquin 216 (1997) 105

Electron transfer

- Fast interactions between Rh6G and dGTP in water studied by fluorescence correlation spectroscopy, J. Widengren, J. Dapprich and R. Rigler 216 (1997) 417

Ionization (including Rydberg states)

- Accurate density-functional calculation of core-electron binding energies with a scaled polarized triple-zeta basis set. (II). Confirmation with a total of seventy-six cases, M. Pulfer, C.-H. Hu and D.P. Chong 216 (1997) 91
- Accurate density-functional calculation of core-electron binding energies with a scaled polarized triple-zeta basis set. (III). Extension to open-shell molecules, C.-H. Hu and D.P. Chong 216 (1997) 99
- Threshold photoelectron spectroscopy of SF_6 , A.J. Yench, D.B. Thompson, A.J. Cormack, D.R. Cooper, M. Zubek, P. Bolognesi and G.C. King 216 (1997) 227

Molecular motion (including diffusive)

- Methyl radicals migration in glassy ethanol-1,2- d_5 at 90 K as studied by hydrogen atom abstraction from the additives, V.L. Vyazovkin and V.A. Tolkathev 216 (1997) 135

Isotopic effects

- Inelastic neutron scattering studies of polyanilines and partially deuterated analogues, F. Fillaux, N. Leygue, R. Baddour-Hadjean, S. Parker, P. Colombar, A. Gruger, A. Régis and L.T. Yu 216 (1997) 281

Fluctuations and noise

- Fast interactions between Rh6G and dGTP in water studied by fluorescence correlation spectroscopy, J. Widengren, J. Dapprich and R. Rigler 216 (1997) 417

Surface effects and catalysis

- Disordered surfaces: a smoothed He-target scattering potential for metal atoms adsorbed on metal surfaces, G. Petrella, L. Cassidei and F. Ciriaco 216 (1997) 391